





Cygnet Aran
CY1404 Childs Aran Sweater and Hat

Actual Chest Measurement 21 23 25 in

53 57 62 cm

Length 11 ½ 13 ½ 15 ½ in

29 34 39 cm

Materials

Cygnet Aran 2 2 3 100g Balls

Main shade Saffron 488 (M) and 1 ball of Espresso 1182 (C)

3.75 mm (UK 9) and 4.50 mm (UK 7) Needles. Stitch holders. 3 buttons for Sweater. 1 button for Hat.

Tension 19 sts and 40 rows to 10 cm measured over garter stitch on 4.50 mm needles

IT IS IMPORTANT TO WORK TO THE STATED TENSION IN ORDER TO OBTAIN THE CORRECT MEASUREMENTS

IF TOO SMALL USE A LARGER NEEDLE, IF TOO LARGE USE A SMALLER NEEDLE

Abbreviations

Sts stitches K knit P Purl cont continue gst garter st (every row K) cm centimetre in inches beg beginning

rept repeat **rem** remain **alt** alternate **patt** pattern **rs** right side **ws** wrong side **TWR** K into front of 2nd st on left hand needle, K into front of first st and slip both loops of together, **TWL** K into back of 2nd st on left hand needle, K first st and slip both loops off together

BACK OF SWEATER

Using 3.75 mm needles and C, cast on 50[54,58]sts and work 2 rows in K2, P2 rib. Break off C. Join in M and rib 4 more rows. Change to 4.50 mm needles and cont in gst until work measures 17[22,25]cm, ending on a ws row.

Shape Armhole

Cast off 2 sts at beg of next 2 rows. 46[50,54]sts.

Cont straight until armholes measure 6[7,8]cm, ending on a ws row.

Divide for Back opening

Next row K25[27,29] turn and work on these sts only.

Work 2 rows straight.

3rd row (make buttonhole) K to last 4 sts, cast off 2 sts, K to end.

4th row K to end, casting on 2 sts over those cast off in previous row.

Cont straight making the next buttonhole as before on the 11th and 12th rows.

Work 6 rows straight

Cast off 12 sts, K to end.

Leave rem 13[15,17] sts on a holder for Neckband.

With rs facing, rejoin yarn to rem 21[23,25]sts, cast on 4 sts and complete to match first side, casting off 12 sts at shoulder on opposite edge.

PATTERN PANEL (over 16 sts)

1st row K7 TWR K7

2nd row P1 K6 P2 K6 P1

3rd row K6 TWR TWL K6

4th row P1 K5 P4 K5 P1

5th row K5 TWR K2 TWL K5

6th row P1 K4 P6 K4 P1

7th row K4 TWR K4 TWL K4

8th row P1 K3 P8 K3 P1

9th row K3 TWR K6 TWL K3 10th row P1 K2 P10 K2 P1 11th row K2 TWR K8 TWL K2 12th row P1 K1 P12 K1 P1

13th row K1 TWR K10 TWL K1

14th row **P16**

15th row K1 TWL K10 TWR K1 16th row P1 K1 P12 K1 P1

 17^{th} row K2 TWL K8 TWR K2

18th row P1 K2 P10 K2 P1

 19^{th} row K3 TWL K6 TWR K3

20th row P1 K3 P8 K3 P1

21st row K4 TWL K4 TWR K4

22nd row P1 K4 P6 K4 P1

23rd row K5 TWL K2 TWR K5

24th row P1 K5 P4 K5 P1

25th row K6 TWL TWR K6

26th row P1 K6 P2 K6 P1

These 26 rows form the patt panel

FRONT

Using 3.75 mm needles and C, cast on 50[54,58]sts and work 2 rows in K2, P2 rib. Break off C. Join in M and rib 4 more rows.

Change to 4.50 mm needles and commence patt.

1st row K4[5,6] work 1st row of patt panel for next 16 sts K10[12,14] sts for centre, work 1st row of patt panel for next 16 sts, K4[5,6].

2nd row row K4[5,6] work 2nd row of patt panel for next 16 sts K10[12,14] sts for centre, work 2nd row of patt panel for next 16 sts, K4[5,6].

Cont in patt as set working diamond patt from 3rd row of patt panel and repeating the 26 rows until Front measures same as Back to armhole.

Shape Armhole

Keeping patt correct, cast off 2 sts at beg of next 2 rows. 46[50,54]sts.

Cont straight until 2 complete diamond panels have been worked. Now cont in g st until armholes measure 6[7.5,7.5]cm ending on a ws row.

Shape Neck

Next row K19[21,22] turn and work on these sts only.

Work 7(9,10) rows dec one st at neck edge in every row. 12sts.
Work straight until Front matches Back to shoulder.

Cast off.

With right side facing, slip first 8[8,10]sts to a holder at centre front and rejoin yarn, K to end.

Complete to match first side of neck

SLEEVES (Both alike)

Using 3.75 mm needles and C, cast on 30[30,34]sts and work 2 rows in K2, P2 rib. Break off C. Join in M and rib 4 more rows.

Change to 4.50 mm needles and commence patt.

1st row K7[7,9] work 1st row of patt panel for next 16 sts, K7[7,9].

2nd row K7[7,9] work 2nd row of

patt panel for next 16 sts K7[7,9].

Cont in patt as set working diamond patt up the sleeve from 3rd row of patt panel and repeating the 26 rows **at same time** inc one st at each end of next every foll 8th row taking inc sts into g st until there are 42[46,54] sts. Work without further shaping until Sleeve measures 19[21,24]cm or length required from beg ending on a ws row.

Place a marker at each end of last row.

Work 4 more rows in patt.

Cast off loosely.

NECKBAND

Join shoulder seams.

With rs facing and using 3.75mm needles and M, K across 13[15,17] sts on back holder, pick up and K13[13,14] sts down left front neck, K across 8[8,10] sts at centre front, pick up and K13[13,14] sts up right front neck and K across 13[15,17]sts on other back holder. 60[64,72]sts.

Work 1 row in K2 P2 rib, keeping 3 sts at each end in g st.

Work last buttonhole in next 2 rows.

Break off M and join in C. Rib 2 more rows. Cast off.

FINISHING OFF

Insert sleeves from markers and join to cast off sts on Back and Fronts. Join side and sleeve seams.

Using C, work a neat edging oversewing around each buttonhole. Sew on buttons

HAT

Using M and 3.75mm needles cast on 78[82,90] sts and work 9 cm in K2, P2 rib.

Change to 4.50mm needles and continue in K2, P2 rib until Hat measures 13[15,17]cm

Shape Crown

!st row Rib 6[8,7] * K2tog, Rib 5[5,6] rept from * to last 2[4,3] sts, Rib 2[4,3]. 68[72,80] sts.

2nd and every alt row Rib to end

3rd **row** Rib 6[8,7] * K2tog, Rib 4[4,5] rept from * to last 2[4,3] sts, Rib 2[4,3]. 58[62,70] sts.

5th **row** Rib 6[8,7] * K2tog, Rib 3[3,4] rept from * to last 2[4,3] sts, Rib 2[4,3]. 48[52,60 sts.

7th **row** Rib 6[8,7] * K2tog, Rib 2[2,3] rept from * to last 2[4,3] sts, Rib 2[4,3]. 38[42,50 sts.

9th **row** Rib 6[8,7] * K2tog, Rib 1[1,2] rept from * to last 2[4,3] sts, Rib 2[4,3]. 28[32,40] sts.

11th **row** Rib 6[8,7] * K2tog, rept from * to last 2[4,3] sts, Rib 2[4,3]. 18[22,24] sts.

12th **row** * K2tog, rept from * to end. 9[11,12]sts.

Break off yarn, thread through remaining sts and fasten off.

Join back seam.

TAB FEATURE

Using 3.75mm needles and C, cast on 14 sts and work 12 rows in g st. Cast off. Attach to inside edge of brim as in photo and secure with a button.





12-14 Adelaide Street, Bradford, West Yorkshire, BD5 0EA

CY1404© 2021 Designed and published by Cygnet Yarns Limited of 12-14 Adelaide Street, Bradford, BD5 0EA.

This pattern is protected by the law of Copyright of the United Kingdom and may not be reproduced or copied. This pattern may be used for manufacturing purposes up to a limit of 20 garments. For anything more than this, please contact Cygnet Yarns. All other rights are expressly reserved by Cygnet Yarns Ltd.